



FIG.4


1 221

• • •






122



1114




· ~::::

Norms:	Test:	Diff:
120	125	+5
80	85	+5
93	98	+5
36.4	23.4	-13
1247.7	1804.6	+556.9
2.8	2.1	7
77	88	+11
1.10	1.71	+61
131.5	62.7	-68.8
46.2	31.3	-14.9
.277	.373	+.96
-115	.086	60
A17	.146	-271
n/a	5.9	n/a
1.93	.99	94
26.5	25.9	+.6
77.5	49.8	-27.7
6.0	4.4	-1.6
	120 80 93 36,4 1247.7 2.8 77 1.10 131.5 46.2 .277 .115 .417 .193 26.6	120 125 80 85 93 98 36.4 23.4 1247.7 1804.6 2.8 2.1 77 88 1.10 1.71 131.6 62.7 46.2 31.3 .277 .373 .115 .066 .417 .146 .59 1.93 .99 28.6 25.9 77.6 49.8

F16 9

Male 55 years old - Jim Smith - Test Date 01- 01- 2000



Major Functions	NORMS	TEST RESULTS	DIFFERENCE
Cardiac Output	6.0	4.4	-1.6
TSR	1247.7	1804.6	556.9
Stroke Volume	77.5	49.8	-27.7

SAMPLE - PERFORMANCE REPORT

Supine L/Zo ratio is normal at 164%. Supine stroke volume index is low at 23.4 with mildly increased TSR of 1864. The heart rate and blood pressure remain relatively unchanged. These findings indicate the patient is on the ascending limb of the Starting curve and no further modification in current therapeutic regimen is necessary at this time.

F16, 11